Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	324	((hid$3 or abstract$3 or conceal$3 or obscur$3) near5 (DRAM or dynamic random access)) with refresh$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:24
L3	134	L2 and (711/106 or 711/105 or "365"/$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:25
L5	245	(((hid$3 or abstract$3 or conceal$3 or obscur$3) near5 (DRAM or dynamic random access)) with refresh$4) and bank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:25
L6	55555	(711/106 or 711/105 or "365"/$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:25
L7	76	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:27
L8	69	L5 and L6 and (suspend$3 or delay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 14:53
L9	2	2002/0056022	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:53
L10	2	"20020056022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 13:53

L11	155	(bank near8 control near8 (address near2 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 14:55
L12	109	L11 and "365"/$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 14:54
L13	79	((bank near4 control) near8 (address near2 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:02
L14	56	L13 and "365"/$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 14:55
L15	2	((bank near4 control) near8 ((contain$3 or compris$3) adj3 (address near2 buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:05
L16	3	((bank near4 control) near8 ((includ$3) adj3 (address near2 buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 16:07
L18	21203	(data near4 buffer) same (address near4 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:11
L21	16635	(data near4 buffer) with (address near4 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:12

L23	978	(control unit or control device or controller) with (stor$3 adj2 data) with (stor$3 adj2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:32
L24	117	L23 and "365"/$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:16
L25	36	L24 and refresh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:16
L26	3633	(control unit or control device or controller) near6 ((stor$3 near3 address) and (stor$3 near3 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:31
L27	148	(control unit or control device or controller) near4 (stor$3 adj2 data) near4 (stor$3 adj2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:40
L28	2	bank near4 (control unit or control device or controller) near4 (stor$3 adj2 data) near4 (stor$3 adj2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 15:35
L29	166	(control unit or control device or controller) near6 (includ$3) near6 (address adj2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 16:07
L31	66	(flag or semaphore or indicator) near4 (generat$3) near6 refresh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 16:08

L32	44	L31 and (711/105 or 711/106 or "365"/$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 16:08
S3	1	"20040090840"	US-PGPUB; USPAT	ADJ	ON	2005/10/04 09:22
S4	1711	711/105	US-PGPUB; USPAT	ADJ	ON	2005/10/04 08:48
S5	560	711/106	US-PGPUB; USPAT	ADJ	ON	2005/10/04 09:03
S6	1	2003/0198098	US-PGPUB; USPAT	ADJ	ON	2005/10/04 09:05
S7	1	"20030198098"	US-PGPUB	ADJ	ON	2005/10/04 09:07
S8	1	"6603704".pn.	USPAT	ADJ	ON	2005/10/04 09:08
S9	1	"6392958".pn.	USPAT	ADJ	ON	2005/10/04 09:10
S10	1	"5588130".pn.	USPAT	ADJ	ON	2005/10/04 09:15
S11	103	harlin.in.	USPAT	ADJ	ON	2005/10/04 09:18
S12	1	"5999474".pn.	USPAT	ADJ	ON	2005/10/04 09:18
S13	27	(SRAM near3 compatible).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 09:22
S14	507	parity near8 generat$4 near8 (preset or pre-set or predetermin$2 or pre-determin$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 10:24
S15	0	((1T or 1-T) near2 SRAM) and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 10:24
S16	1	S14 and (711/105 or 711/106)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 10:24

S17	22	S14 and ("365"/$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 10:25
S18	1851	714/754 or 714/757 or 714/758 or 714/759 or 714/800 or 714/801 or 714/802 or 714/803 or 714/804	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:37
S19	514	(parity near8 generat$4) and S18	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:38
S20	9	parity near8 (bank) and S19	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:49
S21	74	parity near4 (bank or buffer) and S18	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:59
S23	5	parity near4 (bank) and S18	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:54
S24	59	(preset or pre-set) near4 parity	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:56
S25	10	((preset or pre-set) near4 parity with generat$4)	US-PGPUB; USPAT	ADJ	ON	2005/10/04 10:54
S27	33	parity near4 (bank or buffer) with (DRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/04 10:59

IEEE Xplore® RELEASE 2.1

☐ **Advanced Search**

BROWSE   SEARCH   IEEE XPLORE GUIDE

⊚ OPTION 1
Enter keywords or phrases, select fields, and select operators   ⑦ **Help**

[   ] in All Fields   ⬍

[AND ▼] [   ] in All Fields   ⬍

[AND ▼] [   ] in All Fields   ⬍

[███████] [█████]

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

⊚ OPTION 2
Enter keywords, phrases, or a Boolean expression   ⑦ **Help**

```
(hid* or abstract* or conceal* or obscur*)
<paragraph> (DRAM or dynamic random
access) <paragraph> refresh*

            #1   2 hits
```

[███████] [█████]

» Note: You may use the search operators <and> or <or>
  without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» Publications
  ⊙ Select publications
     ☑ IEEE Periodicals
     ☑ IEE Periodicals
     ☑ IEEE Conference I
     ☑ IEE Conference Pi
     ☑ IEEE Standards
  ○ Search subscribed con

» Other Resources (Availab
     ☑ IEEE Books

» Select date range
  ○ Search latest content uj
  ⊙ From year [All ▼]
              to [Present ▼]

» Display Format
  ⊙ Citation   ○ Citatio

» Organize results
  Maximum [100 ▼]
  Display [25 ▼] resu
  Sort by [Relevance]
  In [Descending ▼]

Help   Contact Us
© Copyright 2C

IEEE Xplore ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ Advanced Search   BROWSE   SEARCH   IEEE XPLORE GUIDE

Ⓑ **OPTION 1**
Enter keywords or phrases, select fields, and select operators   ⑦ **Help**

[   ] in All Fields   [↕]

[AND ▼] [   ] in All Fields   [↕]

[AND ▼] [   ] in All Fields   [↕]

[■■■■■■] [■■■■]

» Note: If you use all three search boxes, the entries in the first two boxes
takes precedence over the entry in the third box.

Ⓑ **OPTION 2**
Enter keywords, phrases, or a Boolean expression   ⑦ **Help**

```
SRAM <sentence> compatible <sentence> DRAM



                         #2  5 hits
```

[■■■■■■] [■■■■]

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

  ◉ Select publications
      ☑ IEEE Periodicals
      ☑ IEE Periodicals
      ☑ IEEE Conference I
      ☑ IEE Conference Pr
      ☑ IEEE Standards

» **Other Resources** (Availab
      ☑ IEEE Books

» **Select date range**
  ○ Search latest content u|
  ◉ From year [All ▼]
          to [Present ▼]

» **Display Format**
  ◉ Citation   ○ Citatio

» **Organize results**
  Maximum [100 ▼]
  Display [25 ▼] resu
  Sort by [Relevance]
  In [Descending ▼]

© Copyright 2C

Indexed by
Ⅲ Inspec

IEEE Xplore ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ Advanced Search

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**

⊛ **OPTION 1**
Enter keywords or phrases, select fields, and select operators

⑦ **Help**

| | in All Fields | ⬍ |

AND ▼ | | in All Fields | ⬍ |

AND ▼ | | in All Fields | ⬍ |

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

⊛ **OPTION 2**
Enter keywords, phrases, or a Boolean expression

⑦ **Help**

```
refresh* and (1T or 1-T or 1 transistor or
1-transistor) and

(DRAM or dynamic random access)

            #3   1 hit
```

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**
  ⊙ Select publications
    ☑ IEEE Periodicals
    ☑ IEE Periodicals
    ☑ IEEE Conference I
    ☑ IEE Conference Pi
    ☑ IEEE Standards

» **Other Resources (Availab**
  ☑ IEEE Books

» **Select date range**
  ○ Search latest content u|
  ⊙ From year All ▼
           to Present ▼

» **Display Format**
  ⊙ Citation   ○ Citatio

» **Organize results**
  Maximum 100 ▼
  Display 25 ▼ resu
  Sort by Relevance
  In Descending

Help   Contact Us
© Copyright 2C

Indexed by
Inspec

IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ **Search Session History**   BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 4 Oct 2005, 4:53:16 PM EST

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   (((hid* or abstract* or conceal* or obscur*) <paragraph> (dram
       or dynamic random access) <paragraph> refresh*)
       <in>metadata)

#2   ((sram <sentence> compatible <sentence> dram)<in>metadata)

#3   ((refresh* and (1t or 1-t or 1 transistor or 1-transistor) and (dram
       or dynamic random access))<in>metadata)

Help   Contact Us   Privacy & :

Indexed by
⊞ Inspec

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Advanced Search

BROWSE   SEARCH   IEEE XPLORE GUIDE

⊙ **OPTION 1**
Enter keywords or phrases, select fields, and select operators   ⑦ **Help**

[   ] in All Fields ⇕

[AND ▼] [   ] in All Fields ⇕

[AND ▼] [   ] in All Fields ⇕

[▮▮▮▮] [▮▮▮]

» Note: If you use all three search boxes, the entries in the first two boxes
takes precedence over the entry in the third box.

⊙ **OPTION 2**
Enter keywords, phrases, or a Boolean expression   ⑦ **Help**

```
(refresh*) and (DRAM or dynamic random
access) and (SRAM or static random access)

               // hits
```

[▮▮▮▮] [▮▮▮]

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

⊙ Select publications
   ☑ IEEE Periodicals
   ☑ IEE Periodicals
   ☑ IEEE Conference I
   ☑ IEE Conference Pi
   ☑ IEEE Standards

» **Other Resources** (Availat
   ☑ IEEE Books

» **Select date range**
   ○ Search latest content u|
   ⊙ From year [All ▼]
                  to [Present ▼]

» **Display Format**
   ⊙ Citation   ○ Citatio

» **Organize results**
   Maximum [100 ▼]
   Display [25 ▼] resu
   Sort by [Relevance]
   In [Descending]

Help   Contact Us
© Copyright 2C

Indexed by
Inspec

ACM Search History

+abstract:refresh* +abstract:DRAM +abstract:SRAM

1 hit

+abstract:SRAM +abstract:compatib*

2 hits

10/4/05